

Precision Ag's Orchard Mode Annual Pre-Season Service

Pre-season cleaning, inspection, application testing, and calibration for accurate, reliable operation.

1 Restore System Performance System flushing, filter and nozzle cleaning, and residue treatment help remove product buildup before the season.	2 Verify Application Accuracy Target-rate testing, catch testing, section-control checks, and calibration support accurate application.
3 Catch Issues Before the Season Inspection of wiring, harnesses, display, receiver, valves, and software helps identify problems early.	4 Start the Season with Confidence A completed function test and final report document system condition and recommended attention items.

Choose Your Plan

MULTI-YEAR SAVINGS AVAILABLE

STANDARD SERVICE VALUE: \$840 PER ANNUAL VISIT		
1 YEAR 1 Scheduled Annual Visit \$575 SAVE \$265 32% SAVINGS	2 YEARS 2 Scheduled Annual Visits \$1,000 SAVE \$680 40% SAVINGS	3 YEARS 3 Scheduled Annual Visits \$1,325 SAVE \$1,195 47% SAVINGS

Savings are calculated against standard service value of \$840 per annual visit.

KEEP YOUR ORCHARD APPLICATION SYSTEM CLEAN, ACCURATE, AND READY FOR THE SEASON.

Pricing note:

Package price does not include applicable taxes, repairs, or travel charges. Additional repairs are not included.

Coverage is subject to final agreement terms and dealership confirmation.

Complete Annual Service Scope

Every planned cleaning, inspection, function test, and customer deliverable.

Detailed Customer Application System Report Included

After the service, the customer receives a clear report documenting system condition, application test results, calibration findings, and recommended attention items.

CLEANING - PLANNED TIME: 1 HOUR

- | | |
|---|--|
| 1 | Flush out tank and filters with clean water |
| 2 | Rinse/clean mesh filters (provide customer with photos of deposits found in filter if applicable) |
| 3 | Mix tank cleaner/neutralizer and run pumps for 15 minutes to remove built up chemical residue in system |
| 4 | Run cleaning solution through spray nozzles to ensure interior nozzle cleanliness |
| 5 | Run an additional 100 gal of clean water through sprayer, ensuring all sections and Nozzles are functioning properly |

CLEANED. INSPECTED. TESTED. DOCUMENTED.

Additional repairs, replacement parts, taxes, and travel charges are not included unless separately approved.

Application Testing, Inspection & Calibration

Display, receiver, wiring, rate-control, section-control, and full-system function checks.

INSPECTION - PLANNED TIME: 3 HOURS

1	Inspect harnessing to Display, Receiver, and valving.
2	Verify that all components are reading on the screen and that data sync is turned on.
3	Update display and receiver to current software.
4	Check that machine can spray multiple targeted rates and perform catch tests if necessary.
5	Perform TCM, Universal Steering Controller, and rate controller calibrations if necessary.
6	Run Section control and make sure it is functioning properly. (as determined by Precision Ag Manager or Precision Ag Specialist)
7	Complete post inspection report for customer

CLEANED. INSPECTED. TESTED. DOCUMENTED.

Additional repairs, replacement parts, taxes, and travel charges are not included unless separately approved.